

Elcometer 214 Infrared Digital Thermometer



Elcometer 214 Infrared Digital Thermometer

Elcometer 214 Infrared Digital Thermometer

The Elcometer 214 Infrared Digital Thermometer is a hand held battery operated instrument, which safely and accurately measure surface temperature of non reflective materials using infrared technology.

- Non-Contact infrared technology allows fast, non contact temperature measurement which avoids surface contamination
- Lightweight

The Elcometer 214 Infrared Digital Thermometer has a spot ratio of 3:1. The closer you get to the object under inspection, the smaller the spot size and hence the more accurate the reading.

The diagram explaining optic (spot) ratios is shown below.


Climatic Condition Testing

During the application of a coating, the presence of moisture in the environment, or on the work surface, often results in a poor quality finish. Problems such as poor adhesion of the coating or premature corrosion of the substrate can occur.

To determine the likelihood of moisture affecting the quality of the finish, it is essential that the surface temperature, air temperature, relative humidity (RH) and dewpoint are all measured.

At a glance

- Hand-held instrument.
- Non-contact temperature measurements.
- Spot ratio of 3:1.



Temperature Range	-18 to 315°C (0 to 600°F)
Resolution	1°C (1°F)
Accuracy	±2% of reading or 2°C (3°F)
Ambient Temperature Range	10 to 52°C (50 to 125°F)
Field of View	3:1 Optics Ratio with a 25mm Minimum Target
Repeatability	±0.5% of reading ±1 digit
Emissivity	Fixed at 0.95
Response Time	1 second
Display	3 digit – 10mm Liquid Crystal Display
Battery Type	9V MN1604 Alkaline Battery
Battery Life	Approximately 100 hours
Case Dimensions	184 x 43 x 19mm (7.3 x 1.7 x 0.75")
Instrument Weight	77g (0.17lb) without battery

Model	Description	Part Number
Elcometer 214	Elcometer 214 Infrared Digital Thermometer	G214----1

Related products



Elcometer 214L

The Elcometer 214L infrared thermometer with laser pointer is compact, lightweight and easy to use. Simply aim, pull the trigger and display the surface temperature of the object being measured. Release the trigger to hold the reading. Instant temperature readings and non-contact.



Elcometer 213

A portable digital thermometer which allows quick and easy measurements for a wide range of applications using the K-type thermocouple, including the measurement of surface and air temperatures, liquid temperatures and soft material temperatures.



Elcometer 212

Designed to cope with routine day to day use, the Elcometer 212 digital pocket thermometer is the gauge to take fast, accurate measurements of either the surface or the coating temperature. The probe can be protected by folding it into the handle - this also switches the gauge off.



Elcometer 113

These magnetic thermometers indicate the surface temperature of steel and other magnetic materials continuously. The thermometer is placed onto the substrate and the temperature is displayed on the dial. As the principle of operation uses a bi-metallic strip, no batteries are required.

ENGLAND

Elcometer Instruments Ltd
Edge Lane
Manchester M43 6BU

Tel: +44 (0) 161 371 6000
Fax: +44 (0) 161 371 6010
e-mail: sales@elcometer.com
www.elcometer.com

USA

Elcometer Instruments Inc
1893 Rochester Industrial Drive
Rochester Hills Michigan 48309

Tel: +1 248 650 0500
Toll free: 800 521 0635
Fax: +1 248 650 0501
e-mail: inc@elcometer.com
www.elcometer.com

CANADA

Elcometer Canada Ltd
PO Box 622, 401 Ouelette Avenue
Windsor, Ontario N9A 6N4

Tel: +1 248 650 0500
Toll Free: 800 521 0635
Fax: +1 248 650 0501
e-mail: ca_info@elcometer.com
www.elcometer.com

ASIA & THE FAR EAST

Elcometer (Asia) Pte Ltd
896 Dunearn Rd
Sime Darby Centre #3-09
Singapore 589472,
Republic of Singapore

Tel: +65 6462 2822
Fax: +65 6462 2860
e-mail: asia@elcometer.com
www.elcometer.com

BELGIUM

Elcometer SPRL
Rue Vallée 13
B-4681 Hermalle /s Ardenteau

Tel: +32 (0)4 379 96 10
Fax: +32 (0)4 374 06 03
e-mail: be_info@elcometer.be
www.elcometer.be

FRANCE

Elcometer SARL
BP 8-Bou
60 Rue de la Petite Levée
45430 Chécy

Tel: +33 (0)2 38 86 33 44
Fax: +33 (0)2 38 91 37 66
e-mail: fr_info@elcometer.fr
www.elcometer.fr

GERMANY

Elcometer Instruments GmbH
Himmlingstraße 18
D-73434 Aalen

Tel: +49 (0) 7366 91 92 83
Fax: +49 (0) 7366 91 92 86
e-mail: de_info@elcometer.de
www.elcometer.de